



Faculty of Engineering

**DESIGN AND DEVELOPMENT OF A PHOTOVOLTAIC (PV)
SYSTEM WITH A SUN TRACKER**

Chai Koh Kiong

Bachelor of Engineering with Honours
(Electronics and Computer Engineering)
2010

TK
1087
C434
2010

UNIVERSITI MALAYSIA SARAWAK

R13a

BORANG PENGESAHAN STATUS TESIS

Judul: **DESIGN AND DEVELOPMENT OF PHOTOVOLTAIC(PV) SYSTEM
WITH SUN TRACKER**

SESI PENGAJIAN: 2006 – 2010

Saya **CHAI KOH KIONG**
(HURUF BESAR)

mengaku membenarkan tesis * ini disimpan di Pusat Khidmat Maklumat Akademik, Universiti Malaysia Sarawak dengan syarat-syarat kegunaan seperti berikut:

1. Tesis adalah hakmilik Universiti Malaysia Sarawak.
2. Pusat Khidmat Maklumat Akademik, Universiti Malaysia Sarawak dibenarkan membuat salinan untuk tujuan pengajian sahaja.
3. Membuat pendigitan untuk membangunkan Pangkalan Data Kandungan Tempatan.
4. Pusat Khidmat Maklumat Akademik, Universiti Malaysia Sarawak dibenarkan membuat salinan tesis ini sebagai bahan pertukaran antara institusi pengajian tinggi.
5. ** Sila tandakan (✓) di kotak yang berkenaan

☐ SULIT (Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia seperti yang termaktub di dalam AKTA RAHSIA RASMI 1972).

☐ TERHAD (Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/ badan di mana penyelidikan dijalankan)

☒ TIDAK TERHAD

Disahkan oleh

(TANDATANGAN PENULIS)

(TANDATANGAN PENYELIA)

Alamat tetap: 1785,297J, TAMAN MATANG
JAYA, JLN MATANG, 93050,
KUCHING, SARAWAK

MR.TAY KAI MENG
(Nama Penyelia)

Tarikh: 24 May 2010

Tarikh: 24/5/2010

CATATAN

- * Tesis dimaksudkan sebagai tesis bagi Ijazah Doktor Falsafah, Sarjana dan Sarjana Muda.
- ** Jika tesis ini SULIT atau TERHAD, sila lampirkan surat daripada pihak berkuasa/organisasi berkenaan dengan menyatakan sekali sebab dan tempoh tesis ini perlu dikelaskan sebagai SULIT dan TERHAD.

The Following Final Year Project:

Title : Design and Development of Photovoltaic (PV) System with Sun Tracker


Author : Chai Koh Kiong

Matric number: 16051

has been read and certified by:



MR. TAY KAI MENG
(Supervisor)



Date

Design and Development of a Photovoltaic (PV) System with a Sun Tracker

CHAI KOH KIONG

This project is submitted in partial fulfilment of
The requirements for the degree of Bachelor of Engineering with Honours
(Electronic and Computer Engineering)

Faculty of Engineering
UNIVERSITI MALAYSIA SARAWAK
2010

Dedicated to my beloved family and friends

ACKNOWLEDGMENT

I would like to take this opportunity to give my sincerest appreciation to my supervisor, Mr. Tay Kai Meng who has given his supports, advices, comments and suggestions all throughout the process of completion of this project. I owe a debt of gratitude to JKR head of Research and development; Mr Sidney Wee who has given support financially and provide equipments during the progress of this project. Without his cooperation and dedicated work, I would not be able to complete the project easily and on time.

Thankfulness would like to give to my friends and family who give full supports to me either mentally or financially. They always give encouragement to me when I faced problem throughout this project development.

Finally, I would like to express my gratefulness to the individuals who involved direct or indirectly during the progress of this project.

ABSTRAK

Kajian adalah mengenai rekabentuk dan pelaksanaan fotovoltai (PV) dengan sistem pengesanan matahari. PV adalah susunan sel-sel yang mengandungi bahan fotovoltai yang menukarkan sinaran matahari kepada kuasa arus elektrik melalui kesan fotovoltai. Pemasangan pengesanan matahari salah satu pendekatan untuk meningkatkan prestasi sistem photovoltaic. Pengesanan matahari adalah digunakan untuk berorientasikan panel photovoltaic terhadap matahari. Tujuan kajian ini adalah untuk menguji prestasi sistem photovoltaic dengan pengesanan matahari di Batu Lintang, Kuching, Sarawak ($1^{\circ}32'09.73''\text{N}$, $110^{\circ}20'32.70\text{E}$). Sistem fotovoltai yang direkabentuk dan dibangunkan dengan pengesanan matahari adalah dipamerkan. Sistem yang dibangunkan terdiri daripada lima modul, iaitu sistem sensor, sistem aktuator linear, mekanisme pengesanan, sistem simpanan bateri dan pengawal serta sistem mikro. Selain itu, prestasi sistem fotovoltai dengan pengesanan matahari dan tanpa matahari pelacak telah dibanding, dianalisis dan dinilai melalui eksperimen.

ABSTRACT

This thesis presents the design and implementation of solar photovoltaic (PV) system with a sun tracker. PVs are arrays of cells containing a solar photovoltaic material that convert radiation into direct current electricity via photovoltaic effects. Installation of a sun tracker is one of the approaches to improve the performance of a solar photovoltaic system. A sun tracker is a device for orientating photovoltaic panel towards the sun. The aim of this paper is to examine the performance of a solar photovoltaic system with a sun tracker in Batu Lintang, Kuching, Sarawak ($1^{\circ}32'09.73''\text{N}$, $110^{\circ}20'32.70\text{E}$). A designed and developed solar photovoltaic system that is equipped with a sun tracker is presented. The developed system consists of five modules, i.e., a sensor system, a linear actuator system, a tracking mechanism, a battery storage system and charge controller, and a microcontroller system. Besides, the performance of the photovoltaic system with sun tracker and without sun tracker are compared, analyzed and evaluated with experiments. Concluding remarks is further presented.

TABLE OF CONTENTS

CONTENT	PAGES
ACKNOWLEDGMENT	iii
ABSTRAK	iv
ABSTRACT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	xi
LIST OF FIGURES	xii
ABBREVIATIONS	xiv
CHAPTER 1: INTRODUCTION	1
1.0 Introduction	1
1.1 Project Objective	3
1.2 Project Overview	4
1.3 Project Outline	5

CHAPTER 2:	LITERATURE REVIEW	7
2.0	Introduction	7
2.1	Earth-Sun Geometry	9
2.2	Mathematical Expression of Solar Irradiance	11
2.3	Cost of Solar Energy Generated Using PV Panel	15
2.4	Performance analysis and optimizing of solar panel	16
2.4.1	Performance analysis of different types of solar panel.	16
2.4.2	Optimal tilt angle of a solar collector in the northern hemisphere	17
2.4.3	Single-axis tracked panel	17
2.4.4	East-West oriented single-axis tracked panel	18
2.4.5	Multi-axes sun-tracking system with PLC control	18
2.4.6	Optimizing PV energy output for cloudy condition	19
2.4.7	Microprocessor controlled automatic sun tracker	20

2.4.7.1 Method I	20
2.4.7.2 Method II	21
2.4.8 Intelligent Solar Tracking	22
Control System	
2.4.9 Optimum Installation Angle for	24
Fixed Solar-Cell Panels	
2.4.10 Fuzzy optimization based	24
control of a solar array system	
2.4.11 Hyperion project follows sun	25
2.4.12 Automatic Sun Tracking	26
System (ASTS)	
2.4.13 Micro Power management	27
system	
CHAPTER 3: METHODOLOGY	29
3.0 Introduction	29
3.1 Overall Design	30
3.2 Module(1): Solar Sensor System	21
3.3 Module(2): Linear Actuator System	32
3.4 Module(3): Mechanical System	33
3.5 Module(4): Battery Storage System	34
and Charge Controller	
3.6 Module(5): Microcontroller System	36

3.6.1 Input/ Output Interfacing	39
3.6.2 Analog-to-Digital Converter	40
Module	
3.6.4 Timer	41
3.7 Summary	41
CHAPTER 4:	
RESULT & DISCUSSION	42
4.0 Introduction	42
4.1 Developed Solar Tracking System	42
4.2 Microcontroller System	49
4.3 Simulation of Solar Irradiance	51
4.4 Empirical Result	53
4.5 Analysis and Discussion	60
4.6 Summary	61
CHAPTER 5:	
CONCLUSION &	62
RECOMMENDATION	
5.1 Conclusion	62
5.2 Recommendation	63

REFERENCES		66
APPENDIX A:	Control logic Schematic Diagram	71
APPENDIX-B:	Microcontroller PIC 16F88	72
APPENDIX C:	Universal USB PIC Programmer, BIZ013	81
APPENDIX D:	Assembly Code for PIC 16F88	82
APPENDIX E:	CdS Photocells	88
APPENDIX F:	Solar Charge Controller	89

LIST OF TABLES

TABLE		PAGES
2.1	Definition and Formula for all Solar Time and Angles	13
4.1	Solar irradiance in Batu Lintang, Kuching on 13Feb2010	51
4.2	Current Produced by solar panel at various angle	54
4.3	Power Generated by the solar panel at various angle	55
4.4	Power Generated by solar tracking system on 13Feb 2010	57

LIST OF FIGURES

FIGURE	PAGES
1.1 Solar Photovoltaic (PV) energy capacity, 1995-2008	2
1.2 Solar energy system with tracking control system	4
2.1 Earth's Orbit around the Sun	9
2.2 Earth's rotation axis inclined to the ecliptic plane by 23.5°	10
2.3 Relations of Solar Time with Hour Angle	11
2.4 Relation of all solar angles	12
2.5 LDR placement	20
2.6 Microprocessor based Automatic Sun Tracker	21
2.7 3-Dimensional (3D) Tracking mechanism	23
2.8 Flow Chart of Tracking Control	24
2.9 Hyperion Robot	26
2.10 General assembly in Automatic Sun Tracking System	27
2.11 Block diagram of power management system	28
3.1 Systems implemented in Solar Tracking System	30
3.2 Solar Sensor Device	31

3.3	Shading effect on the LDR Sensor	31
3.4	Linear Actuator and Motor Controller System	33
3.5	Solar Tracking Mechanism	34
3.6	Battery Storage System & Charge Controller	36
3.7	Block Diagram of the PIC 16F88	37
3.8	PIC 16F88 Microcontroller Pins Configuration	38
4.1	Photovoltaic system with Solar Tracking System (back view)	44
4.2	Photovoltaic System with Solar Tracking System (front view)	45
4.3	Sensor Circuit Diagram (top view)	46
4.4	Designed Sensor System (top view)	46
4.5	Control System Circuit Board	47
4.6	Integration of Sensor System and Controlling System	47
4.7	Battery Storage and Solar Charge Controller	48
4.8	Flow Chart of the Solar Tracking System	50
4.9	Solar irradiance in Batu Lintang, Kuching on 13February 2010	52
4.10	Power Generated by Static Solar Panel	58
4.11	Power Generated by the Solar Tracking Panel	59
5.1	Cooling System	65

ABBREVIATIONS

3-D	3 Dimension
AC	Alternating Current
A	Ampere
ADC	Analog to Digital Converter
ASTS	Automatic Sun Tracking System
CdS	Cadmium Sulphide
CIS	Copper-Indium-Diselenide
δ	Declination Angle
$^{\circ}$	Degree
$^{\circ}\text{C}$	Degree Celsius
DC	Direct Current
I_0	Extraterrestrial Solar Irradiance
FPGA	Field Programmable Gate Array
GA	genetic algorithm
GPS	Global Positioning System
ω	Hour Angle
I/O	Input/Output
IC	Integrated Circuit
ISES	International Solar Energy Society
J	Joule

\emptyset	Latitude Angle
LDR	Light Dependable Resistor
LED	Light Emitted Diode
MW	Mega Watt
NPV	Net Present Value
PV	Photovoltaic
PLC	Programmable Logic Control
RAM	Random Access Memory
ROM	Read Only Memory
SA	Simulated-annealing
α	Solar Altitude Angle
I_{sc}	Solar Constant
θ_z	Solar Zenith Angle
VB	Visual Basic
V	Volt
W	Watt

CHAPTER 1

INTRODUCTION

1.0 Introduction

Solar energy is a clean, inexhaustible source of energy in everywhere of our world. The Sun provides approximately 4.3×10^{20} J per hour while the energy consumed on the earth is approximately 4.1×10^{20} J per year [1]. Thus, the amount of energy given by the sun is sufficient for the world electricity demand. Due to the shortage of fossil fuels, alternative source such as solar energy has become more important and increasingly popular around the world [2][3]. Besides, our environment is polluted during the process of energy production [4]. In Saudi Arabia, it was reported that average of 8182 tones of green house gases could be entering into atmosphere each year with each of 5 MW power plants [5]. These aspects have made environment-friendly and clean sources of renewable energy more important.




Fig. 1.1 Solar Photovoltaic (PV) energy capacity, 1995-2008

Fig. 1.1 shows the growth of Solar Photovoltaic (PV) energy capacity from year 1995 to 2008. In year 2008, ISES international Solar Energy Society [6] reported that the investment in Solar Photovoltaic (PV) energy has increased fourfold to record \$120 billion. From end-2004 to end-2008, the total existing worldwide solar photovoltaic (PV) capacity has increased four times to more than 16gigawatts (GW). It shows that solar energy is drawing more attention from the worldwide due to its great potential in future renewable energy.

1.1 Project Objectives

The proposed project embarks in the following objectives:

- i. To design and develop a controlling system to improve the power generation in solar panel.
- ii. To analyze the irradiance in UNIMAS by using Solar time and geometrical coordinate.
- iii. To analyze the performance of developed system.

1.2 Project Overview




Fig. 1.2 Solar energy system with tracking control system

Fig. 1.2 shows a simple block diagram of the solar energy system with sun tracker. A solar charge controller would be connected between solar panel and battery for regulating the power generated from solar panel.

In this project, solar tracking system is implemented in solar energy system. The tracking mechanism would hold the solar panel and allows a 3-Dimension (3D) hemispheroidal rotation to track the sun's movement and allow all the light radiation is pointed perpendicularly to solar panel without any reflection. Therefore, the annual yield power generation can be improved.

1.3 Project Outline

Chapter 1: Introduction

In this chapter, an overview of the project, problem statement, project scope and thesis outline are presented. The aims and objectives of the project with the descriptions of the approach to the problems are clearly stated.

Chapter 2: Literature Review

In this chapter, earth-sun geometry, mathematical expression of solar irradiance, cost of generating energy with solar system, researches on strategies used to improve solar energy system are presented.

Chapter 3: Methodology

In this chapter, the developed solar tracking system which consists of solar sensor system, linear actuator system & motor controller, tracking mechanical system, battery storage system & charge controller and microcontroller system are presented.

Chapter 4: Result and Discussion

In this chapter, the developed solar tracking system is presented. The developed solar tracking system is divided into hardware (electronic circuitry and tracking mechanism) and software (Assembly programming code). Besides, the performance of solar tracking system and static solar system are compared and analyzed.

Chapter 5: Conclusion

In this chapter, the performance of solar tracking system and static solar system are summarized. Besides, the weaknesses of the developed system are discovered. Future works are commented and suggested.